

**Fast Tow Forwarding trailers. 01-11-2022.**  
**‘Innovation in Forestry and Arb machinery’**



7ft x 12ft Flatbed body  
with hydraulic sliding bed.  
KCF crane.



7ft x 12ft Flatbed body  
with hydraulic sliding bed.  
CO470 crane.



**RIKO UK Ltd**  
www.riko-uk.com  
Tel: 01420 487300  
Email: enquiries@riko-uk.com

# RIKO Fast tow trailers with cranes.

The Riko UK Fast Tow trailers are up to 3500Kg gross weight and fitted with timber cranes and built in petrol engine hydraulic power packs. The trailers are fully IVA approved and can be fitted with various sizes of timber cranes. The usual crane is the CO500 with one extension that gives a maximum reach of 5 meters and has a lift capacity of 550Kg at 3.5M and 382Kg at 5m.

1. RUFT3500. The original design with a rocking beam forestry type axle on leaf springs. Hydraulic sliding bed to enable the load to be positioned correctly over the axles to maintain the correct nose weight and axle weights. Not available as a tipper. Flatbed body with optional sides etc. OR Timber bolsters ladder chassis with optional removeable flatbed flat bed. Optional sides etc.
2. RUFT3500RKC. Two or 3 axle Indespension type suspension. Fixed axle positions. Timber bolsters on a ladder chassis. Optional removeable flatbed flat bed. Optional sides etc.
3. RUFT3500RKC-F. Two or 3 axle Indespension type suspension. Fixed axle positions. Flatbed body with optional sides etc.
4. REFT3500TP. Two or 3 axle Indespension type suspension. Fixed axle positions. Tipping body with optional sides etc.

**The height of the trailer hitch ball / ring will vary depending on whether the trailer is loaded or empty. For this reason, it is strongly recommended that the towing vehicle is fitted with an adjustable height tow bar so that vehicle ball / jaw height can be adjusted to suit the height of the trailer hitch ball / ring. It is the purchaser's responsibility to ensure the vehicle is suitable / capable of towing the trailer. For towing speeds over 40mph we recommend the optional 3<sup>rd</sup> axle upgrade, POA.**

**RU-FT3500RKC: From £14,200 + vat. ULW: twin axle from 1350kg, 3 axle from 1450Kg.**



**RU-FT3500TP: from £16,200 + vat. ULW: twin axle from 1450kg, 3 axle from 1550Kg.**



